

Rapid Recreation of Real-World Networks in Virtualized Environments with Industry's Best Virtual Network Emulator



- ✓ Certified VMware Ready™
- ✓ Virtual Appliance
- ✓ Identical Features to NE-ONE Hardware Appliances
- ✓ Free Trial

OVERVIEW

iTrinegy's NE-ONE Family of Network Emulators combines the cost and flexibility benefits of virtualization with the ability to recreate a wide range of realistic network topologies and conditions underpinned by iTrinegy's industry-leading Software Defined Test Network technology.

WHICH EDITION IS BEST FOR YOU?

Whether you're a network novice or expert there is a model in the NE-ONE family to suit your needs. Choose from the following editions, as well as several models available in a downloadable Virtual Appliance.

NE-ONE PROFESSIONAL EDITION

Key Features

- Intelligent Web User Interface
- Up to 20 Concurrent Network Links
- Impairment Library
- Scenario Builder
- Graphs, Logging & Packet Capture
- Reports
- Simple CLI/API
- RESTful API

NE-ONE ENTERPRISE EDITION

- Intelligent Web User Interface
- Impairment Library
- Scenario Builder
- Graphs, Logging & Packet Capture
- Advanced CLI/API
- Highly Scalable Architecture
- Multi-user / Team Sharing
- Soft Ports
- Reports
- Predictive Analytics
- RESTful API / JavaScript Engine
- Enterprise Management

WHICH EDITION IS BEST FOR YOU? (CONT./)

NE-ONE PROFESSIONAL EDITION

Network Topologies

- Point-to-Point
- Point-to-Point Dual Hop

Bandwidth

- 100 Mbps to 10 Gbps

NE-ONE ENTERPRISE EDITION

- Point-to-Point
 - Point-to-Point Dual Hop
 - Hub and Spoke
 - Fully Meshed
 - Cloud
 - Any combination of the above
-
- 1 Gbps to 40 Gbps

VMWARE READY

All NE-ONE Virtual Appliances are certified Partner Ready for VMware's vSphere so you can be assured that they have been optimized for VMware vSphere and interoperate seamlessly with the virtual infrastructure. They have met VMware's specific integration and interoperability standards. The Partner Ready Logo indicates the unique features and capabilities of VMware-integrated products and solutions and a solid commitment to long-term feature support. Every NE-ONE Virtual Appliance is provided with VMware Tools pre-installed. Furthermore, iTrinegy is an established VMware Partner and the Partner Ready Certification designates VMware's highest level of endorsement for our products and solutions.



OPENSTACK COMPATIBLE

Offered as OpenStack Compatible, the NE-ONE Family has proven compatibility to interact with OpenStack Powered Clouds that utilize the KVM hypervisor.




FREE TRIAL

The NE-ONE free trial provides you with unrestricted access to all of the product's features and benefits. To start your free trial:

- Download the Installation and Configuration Guide
- Download the Virtual Appliance image
- Request a licence key from our Customer Support Team
- Start your free trial.

To get started downloads are available on our web site at <https://itrinegy.com/virtual-appliance-network-emulators/>



NE-ONE FAMILY VIRTUAL MACHINE TECHNICAL SPECIFICATIONS


The following are the default and minimum specifications for a typical installation.

NE-ONE PROFESSIONAL EDITION

- 2 x CPUs
- 8 GB RAM
- 16 GB Hard Disk
- 3 x Virtual NICs:
 - * 1 x Network Management
 - * 2 x Network Emulation

NE-ONE ENTERPRISE EDITION

- 2 x CPUs
- 8 GB RAM
- 100 GB Hard Disk
- 3 x Virtual NICs:
 - * 1 x Network Management
 - * 2 x Network Emulation



For a comprehensive breakdown of the NE-ONE Flex Emulator range's full capabilities please read the NE-ONE Family Product Brochure.